IN THE CLAIMS

Claim 1 (currently amended). A folding box (1) having a rectangular pack casing formed by a front side wall having a base end and a lid end, a rear side wall having a base end and a lid end, a right-hand side wall having a base end and a lid end and which connects the front side wall and the rear side wall, and a left-hand side wall having a base end and a lid end, intermediate flaps (21, 22, 23, 24)each having the same height articulated on the base end of each of said four side walls and four base flaps (31, 32, 33, 34) one each of which is articulated on each of said intermediate flaps, a base closure formed by said four base flaps, and a top closure, which is formed by three closure flaps each of which extends respectively from the lid ends of the left-side wall the right side wall and the rear side wall, the flap extending from the lid end of said rear side wall and comprising a rectangular lid part (41) which is connected to the border side of said pack casing and is provided with an insertion flap (45) which engages in the pack casing, wherein in each case one intermediate flap 21, 22, 23, 24 is articulated, in the base region 30, on each of the four side walls 11, 12, 13, 14 which form the pack casing, the intermediate flaps 21, 22, 23, 24 all being of the same height, and wherein in each case one base flap 31, 32, 33, 34 is articulated on each of the four intermediate flaps 21, 22, 23, 24, in each case two of the said base flaps (31, 32, 33, 34) being are adhesively bonded to one another such that the base (30) automatically closes as the folding box (1) is erected and wherein the

closure flaps (42, 44) extending from the lid ends of the left and right side walls (12, 14) ach have three folding lines (120, 122, 123) which subdivide each of them into a first spacer crosspiece (421, 441), a supporting strip (423, 443), a second crosspiece (424, 444) and an adhesive flap (425, 445), the adhesive flaps of said closure flaps being adhesively bonded to the inside of the box so that the supporting strips (423, 443) are aligned at essentially right angles to the second spacer crosspieces (424, 444).

Claim 2. Cancelled.



Claim 3 (currently amended). The folding box according to Claim 1, wherein the supporting strips (423, 443) and the second spacer crosspieces (424, 444) each have a cutout which is provided for accommodating the product an article to be contained by the box and is adapted to the shape of the latter.

Claim 4 (currently amended). The folding box according to Claim 1, wherein 7 in the case of the flaps 42, 44, the adhesive flaps (425, 445) is are followed in each case by a third spacer crosspiece (428,448) via a folding line (126), and by a second adhesive flap (429,449) via a folding line (127).

Claim 5 (currently amended). The folding box, according to Claim 1, wherein at least two of the four side walls (11, 12, 13, 14) which form the pack casing taper slightly in the direction of the lid region (40) starting from the base region (30).

Claim 6 (currently amended). The folding box according to Claim 1, wherein provided in the front side wall (13) is a cutout (131) which extends into the adjacent side walls (12, 14) and is covered by a transparent film.

Claim 7 (previously amended). The folding box according to Claim 1, containing a jar with a screw closure positioned thereon.

Claim 8 (currently amended). A punched blank for producing a reclosable, cuboidal folding box (1) with a front side wall (13), a rear side wall (11), a right-hand side wall (12), which connects the front side wall (13) and the rear side wall (11), and a lefthand side wall (14), a flap (15) articulated laterally on the left-hand side wall, a base closure (30), which is formed by four base-closure tabs (31, 32, 33, 34), and a top closure (40), which is formed by three top-closure tabs (41, 42, 44),

it-being the case that the folding box 1 comprises a folding blank 10 made of paperboard, cardboard or some other suitable material,

it being the case that the front side wall (13), the rear side wall (11), the right-hand side wall (12), which connects the front side wall 13 and the rear side wall 11, and the left-hand side wall (14) as well as the flap (15), each being linked to one another via folding lines (101, 102, 103, 104) are and arranged rectilinearly one behind the other in a row, there being articulated on the rear side wall (11) via [the] a folding line (109), a rectangular lid part (41) which terminates, via the a folding line (411), in an insertion flap (45) which engages in the pack easing, and on the epposite side of rear side wall

03 11:21am

opposite said lid part (41), an intermediate flap (21) which terminates via a folding line (105), a base flap (31) being articulated on the intermediate flap (21) via the <u>a</u> folding line (112),

end it, on the one hand, a flap (41) which terminates via a folding line (110) and, on the other hand, on the opposite side end, an intermediate flap (22) which terminates via a folding line (106), the flap (42) being divided up by folding lines into five individual sections, to be precise, starting from the folding line 110, into which are a first spacer crosspiece (421), into a crosspiece (422), into a supporting strip (423), into a second spacer crosspiece (424) and into an adhesive flap (425), between which a total of four folding lines 120, 121, 122, 123 which are arranged parallel to the pack border are provided, a base flap (32) being articulated on the intermediate flap (22) via the a folding line (113).

it being the case that an intermediate flap (23) is being articulated, via the <u>a</u> folding line (107), on the front side wall (13), in which there is <u>optionally</u> provided, if appropriate, a cutout (131) which extends into the adjacent side walls (12, 14), a base flap (33) being articulated on the intermediate flap (23) via the <u>a</u> folding line (114).

it being the case that the left-hand side wall (14) has having articulated on it, on the one hand one end a flap (44) which terminates via a folding line (111) and, on the other hand, on the opposite side, an intermediate flap (24) which terminates via a folding line (108), the flap 44 being divided up by folding lines into five individuals sections, to be precise, starting from the folding line 111 into a which are first spacer crosspiece (441), into a crosspiece (442) into a supporting strip (443), into

spacer crosspiece (444) and into an adhesive flap (445), between which a total of four folding lines which are arranged parallel to the pack border are provided, a base flap (34) being articulated on the intermediate flap (24) via the \underline{a} folding line (115).